

Powered by Confident LIMS 1 of 5

Sample: 2412LVL1492

Secondary License:; Chain of Distribution: Strain: Wet Wet: Batch Size: g:

Sample Received: 12/16/2024; Report Created: 12/19/2024; Report Expiration: 12/19/2025 Sampling Date: 12/12/2024; Sampling Time: 9 am; Sampling Person: Darnell Brown Harvest Date: 12/09/2024; Manufacturing Date: ; External Lot ID: Date of Pickup: Time Collected:

Wet Wet | Flower

Plant, Flower - Cured, Indoor



29.51%

Total THC

22.07 mg/g

Total Terpenes (Q3)

ND

Total CBD

Complete

Moisture (Q3)

33.82%

Total Cannabinoids (Q3)

Cannabinoids

Complete

| Analyte | LOQ | Result | Result | Qualifier |
|---------|------|--|--------------------------------|-----------|
| | % | % | mg/g | |
| THCa | 0.17 | 33.41 | 334.1 | |
| Δ9-ΤΗС | 0.17 | 0.21 | 2.1 | |
| Δ8-ΤΗС | 0.17 | ND | ND | Q3 |
| THCVa | 0.17 | <loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td></loq<> | Q3 |
| THCV | 0.17 | ND | ND | Q3 |
| CBDa | 0.17 | ND | ND | |
| CBD | 0.17 | ND | ND | |
| CBDVa | 0.17 | ND | ND | Q3 |
| CBDV | 0.17 | ND | ND | Q3 |
| CBN | 0.17 | ND | ND | Q3 |
| CBGa | 0.17 | 0.20 | 2.0 | Q3 |
| CBG | 0.17 | <loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td></loq<> | Q3 |
| CBCa | 0.17 | <loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td></loq<> | Q3 |
| CBC | 0.17 | ND | ND | Q3 |
| Total | | 33.82 | 338.2 | Q3 |

Qualifiers: Date Tested: 12/17/2024 12:00 am

otal THC = THCa * 0.877 + d9-THC otal CBD = CBDa * 0.877 + CBD

is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the inoid potency performed by HPLC-DAD per SOP-(1608). ADHS approved method for potency by HPLC-DAD for all listed analytes.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# AZ-G240000

Matthew Schuberth Laboratory Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866

www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Powered by Confident LIMS 2 of 5

Sample: 2412LVL1492

Secondary License: ; Chain of Distribution: Strain: Wet Wet: Batch Size: g:

Sample Received: 12/16/2024; Report Created: 12/19/2024; Report Expiration: 12/19/2025 Sampling Date: 12/12/2024; Sampling Time: 9 am; Sampling Person: Darnell Brown Harvest Date: 12/09/2024; Manufacturing Date: ; External Lot ID: Date of Pickup: Time Collected:

Wet Wet | Flower

Plant, Flower - Cured, Indoor

Terpenes

| Analyte | LOQ | Result | ResultC | Qualifier | Analyte | LOQ | Result | ResultC | Qualifier |
|-----------------|------|--|--|-----------|------------------|------|--|--------------------------------|-----------|
| | mg/g | mg/g | % | | | mg/g | mg/g | % | |
| Farnesene | 0.02 | 9.12 | 0.912 | Q3 | cis-Ocimene | 0.03 | ND | ND | Q3 |
| β-Caryophyllene | 0.21 | 4.87 | 0.487 | Q3 | Citronellol | 1.06 | <loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td></loq<> | Q3 |
| β-Myrcene | 0.11 | 2.18 | 0.218 | Q3 | Eucalyptol | 0.11 | ND | ND | Q3 |
| δ-Limonene | 0.21 | 2.04 | 0.204 | Q3 | Fenchone | 0.21 | <loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td></loq<> | Q3 |
| α-Humulene | 0.11 | 1.17 | 0.117 | Q3 | y-Terpinene | 0.11 | ND | ND | Q3 |
| Linalool | 0.21 | 0.84 | 0.084 | Q3 | y-Terpineol | 0.02 | ND | ND | Q3 |
| Fenchol | 0.11 | 0.47 | 0.047 | Q3 | Geraniol | 2.11 | ND | ND | Q3 |
| α-Terpineol | 0.17 | 0.39 | 0.039 | Q3 | Geranyl Acetate | 0.11 | ND | ND | Q3 |
| α-Pinene | 0.11 | 0.32 | 0.032 | Q3 | Guaiol | 0.11 | ND | ND | Q3 |
| β-Pinene | 0.21 | 0.30 | 0.030 | Q3 | Isoborneol | 1.06 | ND | ND | Q3 |
| α-Bisabolol | 0.11 | 0.13 | 0.013 | Q3 | Isopulegol | 0.11 | ND | ND | Q3 |
| β-Eudesmol | 0.11 | 0.13 | 0.013 | Q3 | Menthol | 0.11 | ND | ND | Q3 |
| Caryophyllene | 0.11 | 0.11 | 0.011 | 00 | Nerol | 0.11 | ND | ND | Q3 |
| Oxide | 0.11 | 0.11 | 0.011 | Q3 | Pulegone | 0.11 | ND | ND | Q3 |
| 3-Carene | 0.21 | ND | ND | Q3 | p-Cymene | 0.11 | ND | ND | Q3 |
| α-Cedrene | 0.11 | ND | ND | Q3 | Sabinene | 0.11 | ND | ND | Q3 |
| α-Phellandrene | 0.11 | ND | ND | Q3 | Sabinene Hydrate | 0.11 | ND | ND | Q3 |
| α-Terpinene | 0.11 | ND | ND | Q3 | Terpinolene | 0.21 | <loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td></loq<> | Q3 |
| Borneol | 0.32 | <loq< td=""><td><loq< td=""><td>Q3</td><td>trans-Nerolidol</td><td>0.11</td><td>ND</td><td>ND</td><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td><td>trans-Nerolidol</td><td>0.11</td><td>ND</td><td>ND</td><td>Q3</td></loq<> | Q3 | trans-Nerolidol | 0.11 | ND | ND | Q3 |
| Camphene | 0.11 | <loq< td=""><td><loq< td=""><td>Q3</td><td>trans-Ocimene</td><td>0.07</td><td>ND</td><td>ND</td><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td><td>trans-Ocimene</td><td>0.07</td><td>ND</td><td>ND</td><td>Q3</td></loq<> | Q3 | trans-Ocimene | 0.07 | ND | ND | Q3 |
| Camphor | 0.42 | <loq< td=""><td><loq< td=""><td>Q3</td><td>Valencene</td><td>0.11</td><td>ND</td><td>ND</td><td>Q3</td></loq<></td></loq<> | <loq< td=""><td>Q3</td><td>Valencene</td><td>0.11</td><td>ND</td><td>ND</td><td>Q3</td></loq<> | Q3 | Valencene | 0.11 | ND | ND | Q3 |
| Cedrol | 0.11 | ND | ND | 03 | | | | | |

Primary Aromas



Magnolia









22.07 mg/g

Total Terpenes

Qualifiers:

cis-Nerolidol

Date Tested: 12/16/2024 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# AZ-G240000

ND

ND

Matthew Schuberth Laboratory Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com





Pesticides

Cypermethrin

Fenoxycarb

Flonicamid

Fipronil

Fenpyroximate

Certificate of Analysis

Powered by Confident LIMS 3 of 5

Sample: 2412LVL1492

Secondary License:; Chain of Distribution: Strain: Wet Wet; Batch Size: g;

Sample Received: 12/16/2024; Report Created: 12/19/2024; Report Expiration: 12/19/2025 Sampling Date: 12/12/2024; Sampling Time: 9 am; Sampling Person: Darnell Brown Harvest Date: 12/09/2024; Manufacturing Date: ; External Lot ID:

0.040

0.040

0.400

0.400

0.200

Date of Pickup: Time Collected:

Pass

M2

Wet Wet | Flower

Plant, Flower - Cured, Indoor

| Analyte | LOQ | Limit | Units | Status | Qualifier | Analyte | LOQ | Limit | Units | Status | Qualifier |
|-------------|-------|-------|-------|--------|-----------|-----------------|-------|-------|-------|--------|-----------|
| | PPM | PPM | PPM | | | | PPM | PPM | PPM | | |
| Abamectin | 0.030 | 0.500 | ND | Pass | | Hexythiazox | 0.040 | 1.000 | ND | Pass | |
| Acephate | 0.040 | 0.400 | ND | Pass | | lmazalil | 0.040 | 0.200 | ND | Pass | |
| Acetamiprid | 0.040 | 0.200 | ND | Pass | | Imidacloprid | 0.040 | 0.400 | ND | Pass | |
| Aldicarh | 0.040 | 0.400 | ND | Dace | | Krosovim Mothyl | 0.040 | 0.400 | ND | Dacc | |

ND 0.200 ND Pass Azoxystrobin Pass Malathion Bifenazate 0.040 0.200 ND Pass Metalaxyl ND Pass 0.200 0.040 ND Pass Bifenthrin ND Pass Methiocarb ND 0.400 ND Pass Methomyl Pass Boscalid 0.200 Carbaryl ND **Pass** Myclobutanil ND Pass 0.040 ND Pass Naled 0.040 ND Pass Carbofuran Chlorantraniliprole ND Pass 1.000 ND Pass Oxamvl

0.430 0.040 0.400 Pass Chlorfenapyr ND Pass Paclobutrazol ND Chlorpyrifos 0.040 ND Pass Permethrins 0.040 0.200 ND Pass Clofentezine 0.040 ND Pass Phosmet 0.040 ND Pass Cyfluthrin 1.000 ND Pass Piperonyl Butoxide 0.040 2.000 ND Pass

Daminozide ND Pass Propiconazole 0.400 ND Pass Dichlorvos (DDVP) ND Propoxur 0.040 ND Pass Pass 0.040 0.430 1.000 ND Diazinon ND Pass Pyrethrins Pass Dimethoate ND Pass Pyridaben ND Pass 0.040 0.040 0.200 ND Pass Spinosad ND Pass Ethoprophos Etofenprox 0.400 ND Pass Spiromesifen ND Pass Etoxazole ND Pass Spirotetramat ND Pass

Prallethrin

Spiroxamine

Tebuconazole

Thiamethoxam

Thiacloprid

Fludioxonil 0.040 0.400 ND Pass Trifloxystrobin 0.040 0.200 ND Pass

Herbicides

Analyte

Qualifiers: Date Tested: 12/17/2024 12:00 am

Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.

EVEL DNE

1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# AZ-G240000

0.040

0.040

ND

ND

ND

ND

ND

0.400

1.000

Pass

Pass

Pass

Pass

Pass

Alter SM

Matthew Schuberth Laboratory Manager Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866

www.confidentlims.com

ND

ND

ND

ND

ND

Units

Pass

Pass

Pass

Pass

Pass



Status

This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Powered by Confident LIMS 4 of 5

Sample: 2412LVL1492

Secondary License: ; Chain of Distribution:

Strain: Wet Wet; Batch Size: g:

Sample Received: 12/16/2024; Report Created: 12/19/2024; Report Expiration: 12/19/2025

Sampling Date: 12/12/2024; Sampling Time: 9 am; Sampling Person: Darnell Brown Harvest Date: 12/09/2024; Manufacturing Date: ; External Lot ID:

Date of Pickup: Time Collected:

Wet Wet | Flower

Plant, Flower - Cured, Indoor

Microbials Pass

| Analyte | Result | Result Units | Status | Qualifier |
|--|--------------|--------------|--------|-----------|
| E. Coli | <10 | CFU/G | Pass | |
| Salmonella | Not Detected | in one gram | Pass | |
| Aspergillus terreus | Not Detected | in one gram | Pass | |
| Aspergillus fumigatus, Aspergillus flavus, and Aspergillus niger | Not Detected | in one gram | Pass | |

LEVEL ONE

Oualifiers:

Date Tested: 12/17/2024 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# AZ-G240000

Matthew Schuberth

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866

www.confidentlims.com



Laboratory Manager



Powered by Confident LIMS 5 of 5

Sample: 2412LVL1492

Secondary License: ; Chain of Distribution: Strain: Wet Wet; Batch Size: g;

Sample Received: 12/16/2024; Report Created: 12/19/2024; Report Expiration: 12/19/2025 Sampling Date: 12/12/2024; Sampling Time: 9 am; Sampling Person: Darnell Brown Harvest Date: 12/09/2024; Manufacturing Date: ; External Lot ID:

Date of Pickup: Time Collected:

Wet Wet | Flower

Plant, Flower - Cured, Indoor

Heavy Metals Pass

| Analyte | Result | LOQ | Limit | Status | Qualifier |
|---------|--------|-------|-------|--------|-----------|
| | PPM | PPM | PPM | | |
| Arsenic | ND | 0.102 | 0.400 | Pass | |
| Cadmium | ND | 0.102 | 0.400 | Pass | |
| Lead | ND | 0.102 | 1.000 | Pass | |
| Mercury | ND | 0.102 | 0.200 | Pass | |



0 -- 1:6 ----

Date Tested: 12/18/2024 12:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com Lic# AZ-G240000

Matthew Schuberth

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866

www.confidentlims.com



This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Laboratory Manager